



PUMP TYPE	FLANGES			PUMP								MOUNTING				
	NWS	NWD	RATING	A	B	C	D	E	F	G	H	J	K	L	M	N
KSI 40-160	65	40	M16/11	80	385	100	50	155	132	160	197	146	642	934	332	380
KSI 40-200	65	40	M16/11	100	385	100	50	175	160	180	225	146	776	1068	384	432
KSI 50-160	80	50	M16/11	100	385	100	50	175	160	180	225	146	776	1068	384	432
KSI 50-200	80	50	M16/11	100	385	100	50	175	160	200	225	146	776	1068	384	432
KSI 50-250	80	50	M16/11	125	500	100	80	240	180	225	260	206	964	1376	522	570
KSI 50-315	80	50	M16/11	125	500	100	80	240	225	280	305	206	964	1376	522	570
KSI 80-200	125	80	M16/11	125	500	100	80	240	180	250	260	215	964	1376	522	570
KSI 80-250	125	80	M16/11	125	500	100	80	240	225	280	305	215	1036	1466	580	628
KSI 100-200	125	100	M16/11	125	500	140	80	240	200	280	280	215	1036	1466	580	628

GENERAL ARRANGEMENT OF KSI MODEL HORIZONTAL CENTRIFUGAL PUMP TO ISO 2858 STANDARD

OTHER FLANGE DRILLINGS IE BST 'D' OR ANSI 150 OPTIONAL (NON-ISO STANDARD)

KESTNER
 ENGINEERING CO LIMITED
 Bredder Road, Gillingham
 Kent, ME8 6PN, England
 Tel: +44 (0)1634-366983
 Fax: +44 (0)1634-366983
 Internet: www.kestner-eng.co.uk

SURFACE TEXTURE ALL DIMENSIONS IN mm	CONTRACT STANDARD	TITLE GENERAL ARRANGEMENT OF KSI PUMP RANGE	DATE 24/11/95
MACHINE AT N9 LIMIT UNLESS STATED OTHERWISE	UNSPECIFIED MACHINED +/ - 0.5	HEAT TREAT/FINISH NONE	B.C. ORIGINAL ISSUE 00
		NUMBER M 16738	SIG DATE 06/01/92
			ISS 01